


- ① Kaizip LINER SHEET  
Kaizip Liner TR 39/200S
- ② Kaizip VAPOUR CONTROL LAYER (V.C.L)
- ③ HALTER CLIPS
- ④ Kaizip THERMAL INSULATION,  
Kaizip Glass Fibre Insulating Quilt .
- ⑤ TOP SHEET  
Kaizip 65/400 Profile
- ⑥ GUTTER SYSTEM  
Kaizip L2 Membrane Lined Gutter System  
Membrane - 1.2mm Sama  
Top Skin - 0.6mm Galvanised Steel  
Thermal Break - 1.0mm Plastic  
Insulation - 87mm Polyisocyanurate  
Finish as Specification

THE MAIN AREAS OF POTENTIAL AIR LEAKAGE ARE AT JUNCTION DETAILS. CONSIDERATION SHOULD BE GIVEN TO COMPONENT JUNCTIONS TO ACHIEVE AIRTIGHTNESS



Revision	Drawn	CHKD	Date	Description
----------	-------	------	------	-------------



Kalzip Ltd  
Haydock Lane, Haydock, St. Helens  
MERSEYSIDE, WA11 9TY  
Tel: 01942 295 500  
Fax: 01942 295 508

This drawing is copyright and is issued on the express condition that it is not to be copied or disclosed by or to any unauthorised person or firms without prior consent in writing from Kalzip.

Project:

Kalzip Standard Details

Client:

Kalzip Ltd

Title:

Boundary Wall Composite Gutter

Scale:	Date:	Drawn:	Checked:
NTS	10.02.04	AVV	
Dwg No.	RDS-A-1-011		Rev: C