

NOTE:  
ALL COMBUSTIBLE MATERIALS ARE TO BE REMOVED FROM THE VICINITY OF THE JOINT TO ENSURE THAT THERE WILL BE NO FIRE RISK DUE TO SITE WELDING

- ① Kalzip LINER SHEET
- ② Kalzip VAPOUR CONTROL LAYER
- ③ HALTER CLIPS

KALZIP SEAM CUT BACK AND WELDED.  
COMPRESSIBLE SEALING TAPE  
INSTALLED BETWEEN SEAMS.  
SHEETS ZIPPED UP PRIOR TO  
INSTALLATION ON SITE.


- ④ Kalzip THERMAL INSULATION.

- ⑤ HIGH DENSITY INSULATION


- ⑥ TOP SHEET.

ANGLE BEARER TO ASSIST IN  
LINE OF WELDED SHEETS.  
STAINLESS STEEL SELF DRILLER  
FASTENER (R2-S-4.8x..)

PURLINS BY  
OTHERS



RAKE CUT SHEETS CONTINUOUSLY  
WELDED TO STIFFENING RIBS (WELD  
OMITTED FROM UPSTAND FOR  
CLARITY)



Revision	Drawn	CHKD	Date	Description
----------	-------	------	------	-------------



Kalzip Ltd  
Haydock Lane, Haydock, St. Helens  
MERSEYSIDE, WA11 9TY  
Tel: 01942 295 500  
Fax: 01942 295 508

This drawing is copyright and is issued on the express condition that it is not to be copied or disclosed by or to any unauthorised person or firms without prior consent in writing from Kalzip.

Project:

Kalzip Standard Details

Client:

Kalzip Ltd

Title:

Double Skin Welded Hipped Valley

Scale:	Date:	Drawn:	Checked:
NTS	01.04	JLW	
Dwg No.	RDS-A-1-013	Rev:	C