



**NOTE:**

1. ALL NEW HOLES TO BE Ø7 mm
2. NEW HOLING ARRANGEMENT IS NECESSARY WHEN THE NUMBER OF SCREW FIXINGS PER ST. CLIP NEEDS TO BE INCREASED FROM 2 TO 4
3. THE POSITION OF THE NEW HOLES COMPLY WITH CLAUSES 6.3.1 , 6.3.2 AND 6.3.3 OF BS 8118:PART1:1991

Project:			
Kalzip Component Details			
Client:			
Kalzip Ltd			
Title:			
Re Drilling of ST Clip Bases when Additional Fasteners are Required			
Scale:	Date:	Drawn:	Checked:
1:1	11.07.05	KRT	
Dwg No.	KZ-0-STD-K-1-002		Rev:
			A

1. All Dims in mm Unless Otherwise Stated
2. Do Not Scale From This Drawing
3. Isolate All Dissimilar Materials With Barrier Tape
4. If in Doubt, ASK



Kalzip Ltd  
 Haydock Lane, Haydock, St. Helens  
 MERSEYSIDE, WA11 9TY  
 Tel: 01942 717072 Fax: 01942 715713  
This drawing is copyright and is issued on the express condition that it is not to be copied or disclosed by or to any unauthorised person or firms without prior consent in writing from Kalzip.